Sheet _1_ of _1 ATTY. DOCKET NO. U.S. DEPARTMENT OF COMMERCE SERIAL NO. FORM PTO-1449 2026-4205 08/533,895 PATENT AND TRADEMARK OFFICE APPLICANT(S) INFORMATION DISCLOSURE CITATION Topalian, et al. (Use several sheets if necessary) FILING DATE GROUP ART UNIT September 26, 1997 1817 **U.S. PATENT DOCUMENTS** EXAMINER INITIAL FILING DATE DOCUMENT NUMBER DATE NAME CLASS SUBCLASS IF APPROPRIATE FOREIGN PATENT DOCUMENTS TRANSLATION CLASS SUBCLASS DOCUMENT NUMBER DATE COUNTRY YES NO 4-7-88 **PCT** WO 88/02372 OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.) DATE CONSIDERED **EXAMINER** A. Copita EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form

M&F REV. 06/29/95

with next communication to applicant.

Sheet 1 of 4

U.S. DEPARTMENT OF COMMERCE ATTY, DOCKET NO. SERIAL NO. PATENT AND TRADEMARK OFFICE 2026-4205US 08/533,895 INFORMATION DISCLOSURE CITATION APPLICANT(S) Topalian, et al. (Use several sheets if necessary) FILING DATE GROUP ART UNIT ' September 26, 1995 1817 U.S. PATENT DOCUMENTS **EXAMINER** FILING DATE INITIAL DOCUMENT NUMBER DATE NAME **CLASS SUBCLASS** IF APPROPRIATE 2 11/16/93 Brown et al. 2 7 7 08/31/94 3 Boon et al. FOREIGN PATENT DOCUMENTS TRANSLATION DOCUMENT NUMBER DATE **COUNTRY** SUBCLASS **CLASS** YES NO 4 5 3 O 4 3/94 **PCT** 08/23/95 0 6 8 3 0 **EPO** 3 4 3 05/24/84 GERMANY (DE) 3 1 6 7 2 1 3 3 5 4 3 08/24/84 GB 9 5 2 2 5 6 08/24/95 **PCT** 1 9 4 0 2 3 6 7 10/13/94 **PCT** 9 8 3 1 4 1 9 07/22/93 **PCT** 07/94 OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.) Chicz, R.M., et al., "Specificity And Promiscuity Among Naturally Processed Peptides Bound To HLA-Dr Alleles" J. Exp. Med, 178, 27-47; (1993) Sette, A. et al., "Capacity Of Intact Proteins To Bind To MHC Class II Molecules" J. Immunol., 143, 1265-1267; (1989) Brown, J.H., et al. "Three-Dimensional Structure Of The Human Class II Histocompatability Antigen HLA-DRI" Nature, 364, 33-39 (1993) Kwon, et al., "Isolation And Sequence Of A cDNA Clone For Human Tyrosinanse That Maps At The Mouse c-Albino Locus" PNAS, 84:7473-7477, (1987) Shibihara, S. et al., "Molecular Basis For The Heterogeneity Of Human Tyrosinase" J. Exp. Med, 156:403-414, (1988) Sette, A. et al., "HLA-DR4w4-Binding Motifs Illustrate The Bio chemical Basis Of Degeneracy And Specificity In Peptide-Dr Interactions" J. Immunol., 151:3163-3170, (1993) Rammensee, H.G. et al., "MHC Ligands And Peptide Motifs: First Listing" Immunogenetics, 41:178-228 (1995) Kozono, H. et al., "Production Of Soluble MHC II Class II Proteins With Covalently Bound Single Peptides" Nature, 369:151-154 (1994) Sinigaglia, F. et al., "Motifs And Super motifs for MHC Class II Binding Peptides" J. Exp. Med., 181:449-451 (1995) Kawakami, et al. "Cloning Of The Gene Coding For A Shared Human Melanoma Antigen Recognized By Autologous T-Cells Infiltrating Into Tumor" Proc. Natl Acad. Sci., 91:3575-3579 (1994) Wang, R-F et al., "Identification Of A Gene Encoding A Melanoma Tumor Antigen Recognized By HLA-A31-Resricted Tumor Infiltrating Lumpitocytes" J. Exp. Med., 181:799-804, (1995)

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 2026-4205US	SERIAL NO. 08/533,895			
INFORMATION DISCLOSURE CITATION		APPLICANT(S) Topalian, et al.				
(Use several sheets if necessary)		FILING DATE September 26, 1995	GROUP ART UNIT 1817			
V		Sidney, J. et al., "DR B1* 0301 Molecules Recognize A Struttural Motif Distinct From The One Recognized By Most DR B, Alleles" J. Immunol., 149, 2634-2640, (1992)				
6		Motifs Enable Natural Invariant Chain-derived Peptides To Interact With Many Major class II Molecules" J. Exp. Med., 181, 527-536 (1995)				
F		Copalian, S., "MHC Class II Restricted Tumor Antigens And The Role Of CD4+ T Cells In Cancer Antigens" Current Opinion in Immunology, 6:741-745, (1994)				
4	Topalian, S., et al. (1994) "Melanor Presented By Epstein Barr Virus Tr	oma Specific CD4+ T-Lymphocytes Recognize Human Melanoma Antigens Processed And ransformed Cells" Int. J. Cancer 58:69-79				
M	Nanda, et al., "Induction of Anti Se	elf-Immunity to Bone Cancer" Cell, 82:13-17, (1995)				
V		Markus, N. et al., "Analysis of Cytokine Secretion by Melanoma-Specific CDY & Lymphocytes" Journal of Interferon and Cytokine Research, 15:739-746, (1995)				
	GenBank, Acession No. J03581	GenBank, Acession No. J03581				
	GenBank, Acession No. U01873					
	GenBank, Acession No. Y00819	Acession No. Y00819				
	GenBank, Acession No. M27160					
~	Coulie, P.G. et al. (1993) "Genes continument of the second secon	Coulie, P.G. et al. (1993) "Genes coding for tumor antigens recognized by human cytolytic T-lymphocytes." J. Immunotherap.; 14:104-109.				
N		Coulie P.G. et al. "A new gene coding for a differentiation antigen recognized by autologous cytolytic T lymphocytes on HLA-A2 melanomas." <i>J. Exp. Med.</i> 1994; 180:35-42.				
r	Maresh, C.A. et al.: "Cloning and Biology 1994; 13:87-95.	Maresh, C.A. et al.: "Cloning and expression of the gene for the melanoma associated ME20 antigen." DNA and Cell Biology 1994; 13:87-95.				
M	Cox, A.L., et al. "Identification of a 1994; 264:716-719.	f a peptide recognized by five melanoma-specific human cytotoxic T cell lines." Science				
1-	Brichard, V., et al.: "The tyrosinas melanomas". J. Exp. Med. 1993; 1	, et al.: "The tyrosinase gene codes for an antigen recognized by autologous cytolytic T lymphocytes on HLA-A2 <i>J. Exp. Med.</i> 1993; 178:489-495.				
~	Gaugler, B., et al. "Human gene M lymphocytes". J. Exp. Med. 1994;	an gene MAGE-3 codes for an antigen recognized on a melanoma by autologous cytolytic T (ed. 1994; 179:921-930.				
M		tide encoded by human gene MAGE-1 is recognized on HLA-A1 by cytolytic T antigen MZ2-E". J Exp. Med. 1992; 176:1453-1457.				
r		t al.: "Induction of anti-tumor cytotoxic T lymphocytes in normal humans using primary cultures and synthetic opes". Proc. Natl. Acad. Sci. USA 1994; 91:2105-2109.				
\	Boon, T.: "Toward a genetic analy	etic analysis of tumor rejection antigens". Adv. Cancer Res. 1992; 58:177-210.				
٨	Kawakami, Y., et al.: "T-cell reco	ell recognition of human melanoma antigens." J. Immunother. 1993; 14:88-93.				
٨		akker, A.B.H., et al.: "Melanocyte lineage-specific antigen gp100 is recognized by melanocyte-derived tumor infiltrating mphocytes." J. Exp. Med. 1994; 179:1005-1009.				
Λ	Wölfel, T., et al.: "Two tyrosinase lymphocytes." Eur. J. Immunol. 19	e nonapeptides recognized on HLA-A2 melanomas by autologous cytolytic T. 994; 24:759-764.				
~		lineage-specific antigens recognized by monoclonal antibodies NK1-beteb, HMB-50, and DNA." Am J. Pathol. 1993; 143:1579-1585.				
<i>N</i> ;		ocyte-specific gene, Pmel 17, maps near the silver coat color locus on mouse chromosome 10 human chromosome 12." <i>Proc. Natl. Acad. Sci. USA</i> 1991; 88:9228-9232.				

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 2026-4205US	SERIAL NO. 08/533,895			
INFORMATION DISCLOSURE CITATION		APPLICANT(S) Topalian, et al.				
(Use several sheets if necessary)		FILING DATE September 26, 1995	GROUP ART UNIT 1817			
N	Rosenberg, S.A., et al.: "Use of tu metastatic melanoma. Preliminary	Rosenberg, S.A., et al.: "Use of tumor infiltrating lymphocytes and interleukin-2 in the immunotherapy of patients with metastatic melanoma. Preliminary report." N. Engl. J. Med. 1988; 319:1676-1680.				
V		Kawakami, Y., et al.,: "Shared human melanoma antigens. Recognition by tumor infiltrating lymphocytes in HLA-A2.1 transfected melanomas." <i>J. Immunol</i> 1992; 148:638-643.				
h .	Van der Bruggen, et al.: "A gene of Science 1991; 254:1643-1647.	Van der Bruggen, et al.: "A gene encoding an antigen recognized by cytolytic T. lymphocytes on a human melanoma."				
h	Falk, K., et al.: "Allele-specific m 351:290-296.	Falk, K., et al.: "Allele-specific motifs revealed by sequencing of self-peptides eluted from MHC molecules." Nature 1991; 351:290-296.				
M.	Kubo, R., et al.: "Definition of spe 152:3913-3924.	Kubo, R., et al.: "Definition of specific peptide motifs for four major HLA-A Alleles." Journal of Immunology 1994, 152:3913-3924.				
M	Parker, K., et al.: "Sequence motification in the sequence motification in	Parker, K., et al.: "Sequence motifs important for peptide binding to the human MHC class 1 molecule. HLA-A2." J. Immunol. 1992; 3580-3587.				
2	Ruppert, J., et al.: "Prominent role 74:929-937.	Ruppert, J., et al.: "Prominent role of secondary anchor residues in peptide binding to HLA-A2.1 molecules." Cell 1993;				
N		Storkus, W., et al.: "Identification of human melanoma peptides recognized by class 1 restricted tumor infiltrating T lymphocytes." Journal of Immunology 1993; 151:3719-3727.				
~		Kawakami, Y., et al.: "Cloning of the gene coding for a shared human melanoma antigen recognized by autologous T cells infiltrating into tumor." Pro. Natl. Acad. Sci. USA 1994; 91:3515-3519.				
N		Adema, G.J. et al., "Molecular characterization of the melanocyte lineage-specific antigen gp100." Journal of Biological Chemistry 1994; 269:20126-20133.				
7	EMBL DATABASE ACESSION N glycoprotein MRNA 3'end'.	EMBL DATABASE ACESSION NUMBER M32295: 26-11-90 Vogel A.: Human KD melanocyte specific secreted glycoprotein MRNA 3'end'.				
N		Kawakami, Y., et al.: "Identification of a human melanoma antigen recognized by tumor-infiltrating lymphocytes associated with in vivo tumor rejection." Proc. Natl. Acad. Sci. USA 1994; 91:6458-6462.				
N .		Kawakami, Y., et al., "Identification of the Immunodominant Peptides of the MART-1 Human Melanoma Antigen Recognized by the Majority of HLA-A2-restricted Tumor Infiltrating Lymphocytes" J. Exp. Med. 180:347-352, 1994				
h	Melanoma Patients by In Vitro Stim	Rivoltini, L., et al., "Induction of Tumor-Reactive CTL from Peripheral Blood and Tumor-Infiltrating Lymphocytes of Melanoma Patients by In Vitro Stimulation with an Immunodominant Peptide of the Human Melanoma Antigen MART-1". Journal of Immunology, 1995, 154:2257-2265				
N	Slingluff, C.L.,Jr., et al., "Direct a 740	Slingluff, C.L., Jr., et al., "Direct analysis of tumor-associated peptide antigens" Current Opinion in Immunology 1994, 6:733-740				
r		Cole, D.J., et al., "Characterization of the Functional Specificity of a Cloned T-Cell Receptor Heterodimer Recognizing the MART-1 Melanoma Antigen" Cancer Res. 55:748-752 Feb. 1995				
N		Cole, D.J., et al., "Identification of MART-1-specific T-Cell Receptors: T Cells Utilizing Distinct T-Cell Receptor Variable and Joining Regions Recognize the Same Tumor Epitope" Cancer Res. 54:5265-5268, 1994				
^		Castelli, C., et al., "Mass Spectrometric Identification of a Naturally Processed Melanoma Peptide Recognized by CD8+ Cytotoxic T Lymphocytes" J. Exp. Med. 181:363-368 1995				
<i>^</i>	Sette, A., et al., "Peptide Binding 1 Assays" Molecular Immunology 31:	Binding To The Most Frequent HLA-A Class I Alleles Measured By Quantitative Molecular Binding nology 31:813-822, 1994				
^	Wölfel, T., et al., "Analysis Of An (CTL)" Int. J. Cancer 55:237-244,	Analysis Of Antigens Recognized On Human Melanoma Cells By A2-Restricted Cytolytic T Lymphocytes ser 55:237-244, 1993.				
N		Of Naturally Processed Peptides Recognized By Cytolytic Lymphocytes (CTL) On Human on With HLA-A2.1" Int. J. Cancer 57:413-418, 1994.				

FORM PTO-14		S. DEPARTMENT OF COMMERCE TENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 2026-4205US	SERIAL NO. 08/533,895			
INFORMATION DISCLOSURE CITATION			APPLICANT(S) Topalian, et al.				
(Use several sheets if necessary)			FILING DATE September 26, 1995	GROUP ART UNIT 1817			
1		_ ·	Topalian, S.L., et al., "Human CD4+ T Cells Specifically Recognize a Shared Melanoma-Associated Antigen Encoded by the Tyrosinase Gene" PNAS 91:9461-9465, 1994.				
<u>,</u>		Boël, P., et al., "BAGE: a New Gene Encoding an Antigen Recognized on Human Melanomas by Cytolytic T Lymphocytes" Immunology 2:167-175 1995					
b,		Slingluff, C.L., Jr., et al., "Recognition of Human Melanoma Cells by HLA-A2.1-Restricted Cytotoxic T Lymphocytes Is Mediated by at Least Six Shared Peptide Epitopes" <i>Journal of Immunology</i> 150:2955-2963 1993					
2		GENBANK DATABASE ACCESSI	GENBANK DATABASE ACCESSION NUMBER M77348 - Human PMEL 17 in RNA - November 14, 1991				
<u>k</u>		GENBANK DATABASE ACCESSION NUMBER U06654 - Human Differentiation Antigen Melan-A Protein in RNA - July 30, 1994					
<u>}.</u>		GENBANK DATABASE ACCESSION NUMBER U06452 - Human Melanoma Antigen Recognized by T-Cells (MART-1) MRNA - June 25, 1994					
2		GENBANK DATABASE ACCESSION NUMBER S73003 - GP100 Melanocyte Lineage Specific Antigen / PMELL 7 - January 25, 1995					
į/		GENBANK DATABASE ACCESSION NUMBER U01874 - Human ME20 MRNA May 27, 1994					
٨		Bouchard, Brigitte, et al.: "Induction of pigmentation in mouse fibroblasts by expression of human tryosinance." J. Exp. Med. 1989; 169:2029-2042.					
6		Tripathi, Ram K., et al.: "Tyrosinase Gene Mutations in Type I (Tyrosinase-Deficient) Oculocutaneous Albinism Define Two Clusts of Missense Substitutions." American Journal of Medical Genetics 1992; 43:865-871.					
1		Oetting, William S. and King, Richard A.: "Molecular Basis of Type I (Tyrosinase-Related) Oculocutaneous Albinism: Mutations and Polymorphisms of the Human Tyrosinase Gene." Human Mutation 1993; 2:1-6.					
٨		Spritz, Richard A.: "Molecular Genetics of Oculocutaneous Albinism." Seminars in Dermatology 1993; Vol. 12, No.3:167-172					
L		Robbins, et al. (1994), "Recognition of tyrosinase by tumor-infiltating lymphocates from a patient responding to immunotherapy", Cancer Research; 54:3124-3126					
\sim		Robbins, et al (1995), "Cloning of a new gene encoding an antigen recognized by melanoma-specific HLA-A24-restricted tumor-infiltrating lymphocytes" <i>J. IMMUNOL</i> . 1995;154(11), 5944, 50					
EXAMINER	/	11.	DATE CONSIDERED	412419'			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

- 4 -

//